

Item # 15

Summary Report of Hazardous Waste and Sewage Spill Incidents

per Water Code Section 13271

I. Petroleum Products

Discharger	Address	City	County	Report Date*
7-ELEVEN STORE #32151	41901 BIG BEAR BOULEVARD	BIG BEAR LAKE	SAN BERNARDINO	2/17/2005
76 STATION NO. 5299	684 GLASSELL	ORANGE	ORANGE	4/4/2005
EASTER MARKET	29010 ALESSANDRO BLVD	MORENO VALLEY	RIVERSIDE	3/30/2005
EXXONMOBIL	2500 SAN JOAQUIN HILLS ROAD	NEWPORT BEACH	ORANGE	2/10/2005
EXXONMOBIL ATWOOD TERMINAL	1477 JEFFERSON ST., N.	ANAHEIM	ORANGE	4/22/2005
HARBOR LANDING LLP BUILDING	15922 PACIFIC COAST HIGHWAY	HUNTINGTON BEACH	ORANGE	3/16/2005
PLAZA HAND CAR WASH	23100 ALESSANDRO BLVD	MORENO VALLEY	RIVERSIDE	4/28/2005
SHELL SERVICE STATION	6001 ORANGE AVENUE	CYPRESS	ORANGE	4/21/2005
STADIUM TOWERS, L.L.C.	2400 KATELLA AVE. E.	ANAHEIM	ORANGE	3/7/2005
STEVE CRAIG PROPERTY	1818 S. LEWIS	ANAHEIM	ORANGE	4/13/2005
US NAVAL WEAPONS STATION SEAL BEAC	800 SEAL BEACH BLVD	SEAL BEACH	ORANGE	3/17/2005
WESTSIDE BUILDING MATERIAL	1111 AND 1213 HOWELL AVENUE E.	ANAHEIM	ORANGE	3/17/2005

*Report date is the date on the Unauthorized Release Report which is filed out by the local agency or the discharger. This report may not contain an accurate listing of all the new cases due to the ongoing reconciliation between the Geotracker/GEIMS, DOD, and Local Agency databases. *

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/24/2004	11/24/2004	40423	Newport Beach	Channel Rd. and East Ocean Front Blv., Newport Beach, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to unknown blockage. All 500 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was removed, the affected area was cleaned up and disinfected by Newport Beach staff.
11/26/2004	11/26/2004	40424	Private Property Owner	20 Ergola, Irvine, Orange County	SSO	1,500	An estimated 1,500 gallons of sewage overflowed from private property's manhole due to a grease blockage. 300 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged to the local storm drain and flowed to San Diego Creek. The blockage was removed, the affected area was cleaned up and disinfected by a private contractor with assistance of the City of Irvine staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/26/2004	11/26/2004	40445	Vandalism	2401 N. Tustin, Tustin, Orange County	SSO	1,800	An estimated 1,800 gallons of sewage overflowed from a manhole due to blockage caused by rags, plastic bags, and other debris dumped into a manhole by vandals. 600 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain. The blockage was removed, the affected area was cleaned up and disinfected by the City of Tustin staff.
11/26/2004	11/26/2004	40744	Private Property Owner	22 Pergola St., Irvine, Orange County	SSO	1,080	An estimated 1,080 gallons of sewage overflowed from a private property's manhole due to tree roots blockage. All 1,080 gallons of the spill discharged to a local storm drain and flowed to San Diego Creek and to Upper Newport Bay. The tree roots were removed, the affected area was cleaned up and disinfected by the private property owner's contractor with assistance of the IRWD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/30/2004	11/24/2004	40504	EMWD	Rider and Kenton, Perris, Riverside County	SSO	72,000	An estimated 72,000 gallons of sewage overflowed from a broken PVC sewer line. The District became aware of the spill on 11/30/05. However, it was later determined that the spill began on 11/24/04. 10,000 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged onto an open field where it percolated. The sewer line was repaired, the affected area was cleaned up and disinfected by EMWD's staff.
12/7/2004	12/7/2004	40783	Eastern Municipal Water District	Lasselle & Rojo Tierra, Moreno Valley, Riverside County	SSO	5,000	An estimated 5,000 gallons of sewage overflowed from a manhole due to contractor's plug that had not been removed from the sewer line when the new housing development was accepted by the District. 80% of the spill was contained, recovered, and returned to the operational sewer system while the rest discharged to a local storm drain and to a flood control channel. The plug was removed, the affected area was cleaned up and disinfected by EMWD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/9/2004	11/9/2004	40505	City of Beaumont	1899 Oak Valley Pkwy, Beaumont, Riverside County	SSO	6,800	An estimated 6,800 gallons of sewage overflowed from a lift station due to equipment failure. 1,800 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged to a local storm drain. The equipment was repaired, the affected area was cleaned up and disinfected by the City of Beaumont staff.
12/10/2004	11/10/2004	40763	IRWD	Bake Parkway and Burbank, Lake Forest, Orange County	SSO	5,250	An estimated 5,250 gallons of sewage overflowed from a manhole due to unknown reason. All 5,250 gallons of the spill discharged to a local storm drain and flowed to Serrano Creek and to San Diego Creek and then to Upper Newport Bay. The blockage was cleared, the affected area was cleaned up and disinfected by IRWD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/11/2004	12/11/2004	40463	City of Orange	Intersection of Shafter and Palmyra Ave., Orange, Orange County	SSO	900	An estimated 900 gallons of sewage overflowed from a manhole due to a grease blockage. 890 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain. The blockage was removed, the affected area was cleaned up and disinfected by the City of Orange staff.
12/16/2004	12/16/2004	40827	JCSD	6634 Clay St., Riverside, Riverside County	SSO	1,750	An estimated 1,750 gallons of sewage overflowed from a manhole due to a valve upstream of the spill location being partially opened and surcharging the sewer line. 875 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged to a local storm drain and flowed to the Santa Ana River.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/23/2004	12/23/2004	40867	City of Fullerton	Coronado & La Entrada, Fullerton, Orange County	SSO	1,350	An estimated 1,350 gallons of sewage overflowed from a manhole due to a blockage caused by tree roots. 850 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain. The blockage was removed, the affected area was cleaned up and disinfected by the City of Fullerton staff.
12/23/2004	12/23/2004	40923	City of Newport Beach	2350 Ford Road, Newport Beach, Orange County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a wet well of a lift station due to recycled water being dumped by IRWD into a manhole close to a lift station. All 1,000 gallons of the spill discharged into a local storm drain and flowed to the ocean. The discharge of recycled water to the manhole ceased, the affected area was cleaned up and disinfected by Newport Beach staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/27/2004	12/27/2004	40904	City of Ontario	1700 Block of W. Flora S/O "G" St., Ontario, San Bernardino County	SSO	10,500	An estimated 10,500 gallons of sewage overflowed from a manhole at a housing construction area due to heavy grease and construction debris. All 10,500 gallons of the spill were contained in the construction area, recovered, and returned to the operational sewer system. The blockage was removed, the affected area was cleaned up and disinfected by the City of Ontario staff.
1/2/2005	1/2/2005	40924	City of Huntington Beach	Venture at Gothard, Huntington Beach, Orange County	SSO	1,050	An estimated 1,050 gallons of sewage overflowed from a manhole due to unknown blockage. 900 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged to a local storm drain. The blockage was removed, the affected area was cleaned up and disinfected by the City of Huntington Beach staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/2/2005	1/2/2005	40943	Private Property Owner	208 Delaware St. Huntington Beach, Orange County	SSO	3,000	An estimated 3,000 gallons of sewage overflowed from a private property's lateral due to a grease blockage. 900 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain and flowed to Huntington Beach Channel and to Talbert Channel. The blockage was removed by a private contractor with assistance of the City of Huntington Beach staff.
1/4/2005	1/4/2005	40543	Private Property Owner	920 South Ridgcrest Circle, Anaheim, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a private manhole due to a grease blockage. All 500 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was removed, the affected area was cleaned up and disinfected by a private contractor.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/9/2005	1/9/2005	41103	Private Property Owner	925 8th St., Colton, San Bernardino County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a private manhole due to a grease blockage. Unknown amount of the spill was contained, recovered, and returned to the operational sewer system while the rest discharged into a local storm drain. The blockage was removed, the affected area was cleaned up by a private contractor with assistance of the City of Colton staff.
1/9/2005	1/9/2005	41003	Rubidoux Community Service District	Riverview Dr., Rubidoux, Riverside County	SSO	4,200,000	An estimated 4,200,000 gallons of sewage was released to the Santa Ana River due to heavy rain events, caused the river to abruptly change course eroding away over 1,500 feet of riverbank and washing away sewer lines. RCSD installed temporary above ground bypass force main piping and pumping units to pump the sewage from all sewer lines and bypassing it to a force main manhole. The District is pro-actively evaluating and planning for permanent solution to bridge the piping that was lost due to the flooding.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/10/2005	1/9/2005	40583	Elsinore Valley Municipal Water District	Corydon & Cereal St., Elsinore Valley, Riverside County	SSO	24,100	An estimated 24,100 gallons of sewage overflowed from two manholes due to limited sewer capacity and a major five-day storm event. All 24,100 gallons of the spill discharged onto an open field, but due to continued rain, most of the spill discharged to a storm drain and flowed to Temescal Creek. The manholes and the affected area were inspected after storm event for damages and debris. The affected area was cleaned up and pick holes of the manhole covers plugged with redwood tapered plugs to stop inflow to the manholes.
1/10/2005	1/9/2005	41024	Yorba Linda Water District	6111 Kellogg Dr., Anaheim, Orange County	SSO	94,500	An estimated 94,500 gallons of a combination of sewage and rainwater (inflow/infiltration) overflowed from a manhole due to limited sewer capacity. All the spill discharged to Atwood Channel. To avoid future spills the District is installing a parallel sewer line to the existing sewer line at Kellogg Drive. The overflow ceased within 7 hours and the affected area was cleaned up by YLWD's staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/10/2005	1/9/2005	41064	Inland Empire Utilities Agency	2662 E. Walnut Street, Ontario, San Bernardino County	SSO	15,000	An estimated 15,000 gallons of sewage overflowed from the headworks of RP-1. The headworks had reached its capacity and was unable to continuously handle the abnormally high flows brought on by the storm event. All 15,000 gallons of the spill discharged to a local storm catch basin and flowed to a flood control channel, which conveys water to Chino Creek. To prevent this type of incident from occurring again, IEUA installed a stand-by pump at the storm pump station to increase pump capacity out of the station and ensuring the water level does not overflow to the channel again.
1/10/2005	1/9/2005	41123	EVMWD	Lake Shore Drive & High St., Lake Elsinore, Riverside County	SSO	24,100	An estimated 24,100 gallons of sewage overflowed from two separate manholes due to sewer line capacity and heavy rain. All 24,100 gallons of the spill discharged onto an open field where it percolated. EVMWD was unable to recover any of the spill due to continuous rain. Warning signs were placed in the affected area. EVMWD investigating the cause of the spill and to prevent future spills in this area.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/10/2005	1/9/2005	40964	City of Big Bear	Various Locations, Big Bear, San Bernardino County	SSO	5,561,500	An estimated 5,561,500 gallons of mixed sewage and rain water overflowed from various manholes and lift stations due to sewer capacity and inflow/infiltration caused by five day rain event. BBARWA was able to divert some of the spill to percolation ponds and the remainder of the spill discharged to Baldwin Lake and Big Bear Lake. The overflow ceased from manholes and lift stations after two days of continuous pumping to percolation ponds. The lift stations were repaired, the affected areas were cleaned up and disinfected by BBARWA staff.
1/10/2005	1/10/2005	40643	Elsinore Valley Municipal Water District	Auto Center Drive, Lake Elsinore, Riverside County	SSO	517,500	An estimated 517,500 gallons of sewage overflowed from a manhole due to sewer capacity and a major five day storm event. All 517,500 gallons of the spill discharged to a local storm drain and to the San Jacinto River then flowed to Lake Elsinore. The affected area was cleaned up and disinfected. The sewer lines in this area are being investigated by EVMWD and Regional Board staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/10/2005	1/10/2005	40684	City of Beaumont	550 East 6th St., Beaumont, Riverside	SSO	1,500,000	An estimated 1.5 million gallons of partially treated sewage (unfiltered and undisinfected) was discharged due to the treatment plant capacity being exceeded. This overflow from aeration basins that caused the secondary clarifiers to be washed out hydraulically. Solids overspilled the clarifiers and blocked the sand filters and caused the overflow. All 1.5 million gallons of the spill were discharged to Cooper Creek. The filter media will be replaced, the OVA system was cleaned up, the affected area was cleaned up and disinfected by the City of Beaumont staff.
1/12/2005	1/11/2005	41065	City of Rialto	Corner Of Foothill & Cactus, Rialto, San Bernardino	SSO	30,000	An estimated 30,000 gallons of sewage was released from a portion of an 8" sewer line washed away by storm flow. All 30,000 gallons of the spill discharged to a flood control channel and flowed to the Santa Ana River. The sewer line was repaired, the affected area was cleaned up by the City of Rialto staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/12/2005	1/12/2005	40623	Elsinore Valley Municipal Water District	Seahorse Circle, Canyon Lake, Riverside County	SSO	2,450	An estimated 2,450 gallons of sewage overflowed from a wet well's of a lift station. The five day major storm event caused the wet wells sonic level and pump control system to become submerged and caused the pumps to shut down. None of the spill was contained and discharged to a local storm drain and flowed to Canyon Lake. The sonar system and the pumps were repaired and put back to operation by EVMWD staff.
1/13/2005	1/12/2005	40725	Private Property Owner	2601 W. Orangethrope Ave., Fullerton, Orange County	SSO	900	An estimated 900 gallons of sewage overflowed from a private property lateral due to debris blockage. 200 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain. The blockage was removed, the affected area was cleaned up and disinfected by a private contractor with assistance of the City of Fullerton staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/13/2005	1/13/2005	40743	El Toro Water District	Santa Vittoria & Santa Maria Streets, Laguna Woods, Orange County	SSO	3,600	An estimated 3,600 gallons of sewage overflowed from a manhole due to tree roots blockage. 500 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain and flowed to San Diego Creek. The tree roots were removed, the affected area was cleaned up and disinfected by El Toro Water District's staff.
1/14/2005	1/14/2005	40705	Private Property Owner	3425 Via Lido, Newport Beach, Orange County	SSO	700	An estimated 700 gallons of sewage overflowed from a grease interceptor of the Vons Pavilion store in Newport Beach. All 700 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared, the affected area was cleaned up and disinfected by the City of Newport Beach staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/15/2005	1/15/2005	40724	City of Fullerton	700 Raymond @ Riverside, Fullerton, Orange County	SSO	800	An estimated 800 gallons of sewage overflowed from a manhole due to a grease blockage. 300 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged to a local storm drain. The blockage was removed, the affected area was cleaned up and disinfected by the City of Fullerton staff.
1/18/2005	1/17/2005	40843	City of Big Bear	1095 Fairway, Big Bear, San Bernardino County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a manhole due to a blockage by sand, rock, and gravel pushed by vandals into a manhole. All 1,000 gallons of the spill discharged to a local storm drain and flowed to Baldwin Lake. The debris were removed from the manhole, the affected area was cleaned up and disinfected by the City of Big Bear staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/18/2005	1/18/2005	40704	City of Newport Beach	Ocean Blvd, Newport Beach, Orange County	SSO	1,000	An estimated 1,000 gallons of sewage was released from 30' of 8" sewer line that was washed out by a rain storm. All 1,000 gallons of the spill were discharged to a local storm drain and flowed to the Pacific Ocean. The 30' of sewer line was replaced, the affected area was cleaned up and disinfected by the City of Newport Beach staff.
1/19/2005	1/19/2005	41083	Private Property Owner	180 S. Anita Dr., Orange, Orange County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a private property's lateral due to a grease blockage. 200 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain and flowed to the Santa Ana River. The blockage was removed, the affected area was cleaned up and disinfected by a private contractor with assistance of the City of Orange staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/20/2005	1/19/2005	40965	City of La Palma	Valley View & La Palma, La Palma, Orange County	SSO	3,100	An estimated 3,100 gallons of sewage overflowed from a manhole due to a grease blockage. 100 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain and flowed to Moody Creek. The blockage was removed, the affected area was cleaned up and disinfected by the City of La Palma staff.
1/23/2005	1/23/2005	40683	EMWD	Cherry Blvd. west Murrieta, Sun City, Riverside County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from six bathrooms due to asphalt blockage in the sewer. All 1,000 gallons of the spill were contained, recovered, and returned to the operational sewer system. The asphalt debris were removed, the houses' bathrooms were cleaned up and disinfected by the EMWD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/25/2005	1/25/2005	40703	City of Anaheim	2256 W. Lincoln Ave., Anaheim, Orange County	SSO	2,000	An estimated 2,000 gallons of sewage overflowed from a manhole due to debris blockage. 500 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged to a local storm drain and flowed to Carbon Canyon Creek. The blockage was removed, the affected area was cleaned up and disinfected by the City of Anaheim.
1/25/2005	1/25/2005	40865	Private Property Owner	2256 W. Lincoln, Anaheim, Orange County	SSO	8,550	An estimated 8,550 gallons of sewage overflowed from a private manhole due to tree roots and grease blockages. 7,500 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest of the spill discharged into a local storm drain and flowed to Coyote Creek and the San Gabriel River. The blockage was removed, the affected area was cleaned up and disinfected by a private contractor with assistance of the City of Anaheim staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/27/2005	1/26/2005	40863	Private Property Owner	3439 Arlington Ave, Riverside, Riverside County	SSO	4,000	An estimated 4,000 gallons of sewage overflowed from a wet well of a private lift station due to a power surge on 1/11/05. All 4,000 gallons of the spill were contained in embankment, recovered, and returned to the operational sewer system. The lift station was repaired, the affected area was cleaned up and disinfected by a private company with assistance of the City of Riverside staff.
1/29/2005	1/29/2005	40864	City of Anaheim	2856 West Lincoln, Anaheim, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to tree roots blockage. All 500 gallons of the spill were contained, recovered, and returned to the operational sewer system. The tree roots were removed, the affected area was cleaned up and disinfected by the City of Anaheim staff.

Row(s) 1 - 52